

Worcester Canoe Club - Reviewed Nov 2025 – Next Review Nov 2026
General Risk Assessment Sheet. Appendix 9

| Project Title: Electrical Maintenance | | Assessors: J Parker | Risk Assessment | | |
|---------------------------------------|---|--|-----------------|---|-------------|
| Hazard & Likely Outcome | Persons Affected (member, public, contractor) | Description of Control Measures (note: ERICPD!) | P | S | Risk Rating |
| Electricity – Burns / DEATH | Members / Public / Contractor | Qualified and recognised Competent Persons only allowed. Controlled Personnel and Documented work sheet. | 3 | 4 | HIGH |
| Fire – Property / Building Damage | Members / Public / Contractor | Qualified and recognised Competent Persons only allowed. Controlled Personnel and Documented work sheet. | 3 | 4 | HIGH |

Notes on Use:

1. Identify all significant or potentially significant hazards associated with an item or activity
2. Apply hierarchy of control ERICPD (Eliminate, Replace, Isolate, Control, PPE, Discipline)
3. Assign probability (P) of harm occurring (1 to 4)
4. Assign likely severity (S) of harm (1 to 4)
5. Identify risk rating from the matrix
6. Identify any **significant** information that needs to be passed on and recorded.

| | S | Negligible 1 | Minor 2 | Major / Severe 3 | Extreme 4 |
|---------------|---|-----------------|------------|---------------------|--------------|
| 1. Improbable | | | | LOW | MEDIUM |
| 2. Remote | | | | LOW | MEDIUM |
| 3. Possible | | | LOW | MEDIUM | HIGH |
| 4. Probable | | | MEDIUM | HIGH | HIGH |